

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|------|------------------------------------------------------------------|----------------------------|---------------------|
| 1 | BRS | L1 | 1063 | (temperature thermometer) with (implantable biocompatible) | USPA T; US-PG PUB | 2003/09/23 10:58 |
| 2 | BRS | L2 | 4 | (thermometer) with (implantable biocompatible) | USPA T; US-PG PUB | 2003/09/23 10:57 |
| 3 | BRS | L3 | 157 | 1 and (x adj ray) | USPA T; US-PG PUB | 2003/09/23 10:58 |
| 4 | BRS | L4 | 5 | 1 same (x adj ray) | USPA T; US-PG PUB | 2003/09/23 11:00 |
| 5 | BRS | L5 | 19 | 1 same (image imaging) | USPA T; US-PG PUB | 2003/09/23 11:05 |
| 6 | IS&R | L6 | 1 | ("20030135085").PN. | USPA T; US-PG PUB | 2003/09/23 11:20 |
| 7 | IS&R | L7 | 918 | (600/549).CCLS. | USPA T; US-PG PUB | 2003/09/23 12:05 |
| 8 | BRS | L8 | 66 | 7 and x adj ray | USPA T; US-PG PUB | 2003/09/23 11:24 |
| 9 | BRS | L9 | 5 | 8 and bulb | USPA T; US-PG PUB | 2003/09/23 11:21 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|-----------|-------------|------------|-------------|-------------------------------------------------------------|--------------------------------------|-----------------------------|
| 10 | BRS | L10 | 179 | 7 and (image imaging) | USPA T; US-PG PUB | 2003/09/23 11:29 |
| 11 | BRS | L11 | 6 | 10 and bulb | USPA T; US-PG PUB | 2003/09/23 11:24 |
| 12 | BRS | L12 | 31 | 7 and (image imaging) with (acoustic ultrasound) | USPA T; US-PG PUB | 2003/09/23 11:33 |
| 13 | BRS | L13 | 5 | 7 and bulb with fluid | USPA T; US-PG PUB | 2003/09/23 11:40 |
| 14 | BRS | L14 | 6 | 7 and bulb same fluid | USPA T; US-PG PUB | 2003/09/23 11:35 |
| 15 | BRS | L15 | 241 | 7 and fluid | USPA T; US-PG PUB | 2003/09/23 11:35 |
| 16 | BRS | L16 | 26 | 15 and (x adj ray) | USPA T; US-PG PUB | 2003/09/23 11:35 |
| 17 | BRS | L17 | 70 | 7 and (implantable biocompatible) | USPA T; US-PG PUB | 2003/09/23 11:41 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|---------------------|
| 18 | BRS | L18 | 15 | ("4021364" "4793825" "5475318" "5492122" "5657760" "5749364" "5779643" "5863520" "5909078" "5914507" "5944717" "5989190" "6092530" "6287765" "6291140").PN. | USPA T | 2003/09/23 11:42 |
| 19 | BRS | L19 | 6 | ("3971362" "5446452" "5697384" "5724030" "5984875" "6015390").PN. | USPA T | 2003/09/23 11:43 |
| 20 | BRS | L20 | 11 | 5446452.URPN. | USPA T | 2003/09/23 11:44 |
| 21 | BRS | L21 | 19 | ("2407690" "3369549" "4154246" "4311154" "4583556" "4601296" "4658836" "4700716" "4813429" "4825880" "4841988" "4967765" "4979948" "5007437" "5057106" "5226430" "5443470" "5480417" "5549559").PN. | USPA T | 2003/09/23 11:52 |
| 22 | BRS | L22 | 37 | 7 and marker | USPA T; US-PG PUB | 2003/09/23 12:08 |
| 23 | IS&R | L23 | 3 | ((("5109853") or ("4170138") or ("4138998")).PN. | USPA T; US-PG PUB | 2003/09/23 12:19 |
| 24 | BRS | L24 | 13 | 4138998.URPN. | USPA T | 2003/09/23 12:09 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|---------------------|
| 25 | BRS | L25 | 16 | ("1199121" "3548308" "3631721" "3893111" "4138998" "4469451" "4561054" "4613757" "4947247" "5109853" "5285785" "5394457" "5396889" "5967982" "5983123" "6097994").PN. | USPA T | 2003/09/23 12:10 |
| 26 | IS&R | L26 | 279 | (374/100,187,201).CCLS. | USPA T; US-PG PUB | 2003/09/23 12:19 |
| 27 | BRS | L27 | 4 | 26 and (implant implanted implantable) | USPA T; US-PG PUB | 2003/09/23 12:22 |
| 28 | BRS | L28 | 3 | 4036060.URPN. | USPA T | 2003/09/23 12:21 |
| 29 | BRS | L29 | 8 | 26 and fluid same bulb | USPA T; US-PG PUB | 2003/09/23 12:22 |